



- Made in USA
- Solid Hardwood / Plywood
- Quick Lead Times
- Custom Inserts
- Prefinishing Available
- Specialty Options




3061 Verona Ave Buford, Ga 30518 (800) 992-6426 • (770) 932-0640

Please call for more information or visit www.gahwd.com






B3




Side Designs \$15.00 Per Box

Optional Side designs for cabinet pullout drawer boxes. Available on all drawer side material. Customer must supply custom measurements. Scoops and ears can be added. Priced per box.



Ears \$4.00 Per Box

Optional ears are for use with internal drawer boxes to extend past the drawer slide hardware. Available with both a lap joint or a dovetail joint. When ordering, do not include the width of the ears. All ears extend 1/2" on both sides.




SPECIALTY

Pot Pullout Drawer Box \$150.00 Per Box


Offered in standard 21" depth and 24" height with customer supplied width. Bullnosed upper shelves are rabbetted at 5 degree angle into solid maple sides. Bottom and back panels are 1/2" plywood. 5-7 day lead time, clear coat finishing available.





Wine Cube/Apothecary Drawer Boxes


Made with solid wood in sections of 5, 6 or 7 cubes from any specie. Each unit is 6-1/4" tall over all with and internal opening of 5-1/4". The widths are 30" for 5 openings, 36" for 6 openings and 42" for 7 openings. Each unit is 12" deep to allow for under cabinet mounting or counter top stacking. Drawer boxes and drawer fronts are sold seperately. Replace ** with specie abbreviation. All cubes, boxes and fronts are stocked in Maple, Cherry, Alder and Red Oak.



GH-CUBE30-** GH-CUBE36-** GH-CUBE42-**




Drawer boxes for the apothecary systems are sold seperately. Each box is 5-1/8" wide x 10-1/4" deep x 5" tall. Made from solid Maple wood with dovetail ends.



Drawer fronts are 3/4" thick x 5-3/4" square and can be machined with any edge. Stock drawer fronts for apothecary drawer systems have OE-46 edge profile. See page D14 of the door specification manual.

G	Н.	CI	IR	FF	R٦	_**
U	п-	·UU	סכ	ΕГ	ΠI	-




CUT TO SIZE DRAWER INSERTS

Cutlery Inserts




GH-INST-CT15 15-1/8"w x 22"d x 2-7/8"t Can be cut down to 9" w Pockets are 2-3/8" wide Made from Maple Prefinished clear.






GH-INST-CT20 20-5/8"w x 22"d x 2-7/8"t Can be cut down to 14-5/8"w Pockets are 2-3/8" wide Made from Maple Prefinished clear





GH-INST-UT18 18-1/8"w x 22"d x 2-7/8"t Can be cut down to 8-1/8"w Pockets are 3-1/8" wide Made from Maple Prefinished clear





GH-INST-UT24 24"w x 22"d x 2-7/8"t Can be cut down to 12-1/8"w Pockets are 3-1/8" wide Made from Maple Prefinished clear

Spice Inserts





Made from Maple - Prefinished clear

GH-INST-SP18 18"w x 19-3/4"d x 1-1/2"t

GH-INST-SP24 24"w x 19-3/4"d x 1-1/2"t

Knife Inserts




GH-INST-KN18 18-1/2"w x 22"d x 2-1/2"t Made from Maple Prefinished Clear




Georgia Hardwoods Inc 🗆 800-992-6426 🗆 www.gahwd.com 🗆 Fax: 678-546-6105


Made to Order Inserts




Custom inserts are made to order inserts to fit inside drawer boxes. Inserts have a design fee and are billed by the square foot. Inserts not meeting minimum square foot requirement will be chared the minimum. Minimum height is 1-1/2". Pockets equally spaced but can be specified by the customer. Prefinishing is available.




DI-21 Min Size: 5"w x 4"d Min SqFt: 1.25 Design Fee: \$8.00




DI-32 Min Size: 5"w x 6"d Min SqFt: 1.25 Design Fee: \$10.00




DI-43 Min Size: 5"w x 8"d Min SqFt: 1.50 Design Fee: \$10.00




DI-31 Min Size: 7"w x 4"d Min SqFt: 1.25 Design Fee: \$9.00




DI-42 Min Size: 7"w x 6"d Min SqFt: 1.50 Design Fee: \$10.00




DI-53 Min Size: 7"w x 4"d Min SqFt: 1.50 Design Fee: \$10.00



DI-41 Min Size: 9"w x 4"d Min SqFt: 1.50 Design Fee: \$9.00




DI-52 Min Size: 9"w x 6"d Min SqFt: 1.50 Design Fee: \$10.00




DI-51 Min Size: 11″w x 4″d Min SqFt: 1.50 Design Fee: \$9.00





Cut To Fit Dividers


Cut to fit insert dividers are available for customers who need to maximize their drawer depth space. Available sizes are 4" and 8" depths. Available in a kit consisting of 1 pc 4' long of groove moulding for 4" kit and 2 pcs of 4' long groove moulding with 8" kit plus 2 - 4' pieces of 3/8" divider material all made from solid Maple. All pieces have been clear coated. Kit includes 1/2" flat head screws. (It is recommended to predrill all holes during assembly to eliminate splitting)



Part Numbers

GH-INSRT-KIT4 GH-INSRT-KIT8

Drawer Box Material



B10

Warranty

Wood is a material formed by nature, not man, and must be handled as such. Climate, light, rainfall and minerals in the soil all create diverse grain and color patterns that make every tree unique. The infinite variety in color, grain, and texture are what give wood its natural character and are not considered defects. We guarantee our drawer boxes to be free from defect in material and workmanship for one year from the ship date. Our warranty covers only the replacement of defective products manufactured by Georgia Hardwoods. Georgia Hardwoods will not be liable for costs related to travel expenses, installation, finishing or labor to remove and install new products. This warranty does not apply to damages resulting from improper handling, alterations made to our drawer boxes, or inappropriate storage, and does not cover any product used or installed in connection with our products. Our liability is limited to the net invoice price of defective drawer boxes only. No other warranties are implied or expressed.

Natural wood will expand and contract with changes in the climate. This natural phenomenon can have a negative effect on wood drawer boxes that are left unfinished. Our drawer boxes are constructed to allow for proper wood movement, however we strongly advise that the drawer boxes be stored in an area that has controlled humidity and be sealed and top coated on all sides within seven days. Sealing and top coating wood drawer boxes will slow down the moisture absorption from humid conditions and greatly reduces the chances of warping and cracking problems that are seen in drawer boxes that are left unfinished. Georgia Hardwoods will not be liable for problems with drawer boxes that have been left unfinished for more than one week after delivery. All warranties are voided for any drawer boxes, raw or finished, that have been stored or installed in an area without controlled humidity. Georgia Hardwoods will not warranty issues that could have been prevented, such as improper surface preparation before finishing. Our drawer boxes are sanded to 180 grit and are ready to accept most finishes; however some specialized finishes may require additional preparation. Application of finish materials implies that the drawer boxes are accepted as suitable for the finish you have selected. If in doubt, test the finish on one of the drawer boxes before finishing the entire job. Most customers finish our drawer boxes right out of the box, however it is recommended that you lightly sponge sand your drawer boxes with the same grit you sanded your cabinets to remove any burnish marks or scratches that may occurred from handling during packaging or shipping. If unfinished drawer boxes are replaced at no charge, Georgia Hardwoods will not be liable for finishing costs.

REASONABLE TREATMENT REQUIREMENTS:

- Drawer boxes are not to be stored in freshly plastered or damp work sites.
- Drawer boxes are to be sealed with equal coats of finish on both sides and all edges within one week from delivery in order to minimize moisture absorption.
- Drawer boxes are not to be exposed to excessive moisture, heat, cold, drastic swings in humidity, dryness, sunlight, abrasive cleaners or solvents. Wood drawer boxes should never be left on a construction site that is open to the elements.
- Wood drawer boxes should be kept in a humidity controlled environment through all seasons. Due to normal wood movement, stile and rail joints may open slightly during a regular heating and cooling cycle. This is normal and is not subject to no charge replacement.
- If needed, clean drawer boxes with a damp cloth followed by a dry towel. Do not use a wet sponge. Avoid excessive moisture and do not leave moisture standing on drawer boxes. Do not let water run into the rail grooves.

Warranty

Contact information: Georgia Hardwoods Inc. 3061 Verona Ave. Buford, Ga. 30518 800-992-6426 770-932-7643 door sales fax 678-546-6105 doorshop office fax

Email: doorshop@gahwd.com Website: www.gahwd.com

Production scheduling and confirmations

Order confirmations are normally faxed but can be emailed if requested. There are three dates on our confirmations. Order Date, Due Date and Pre-Finish Due: The Order Date is the date the quote or order was entered. The day the order is placed is not counted as a production day. The Due Date is the date the doors (unfinished) are scheduled to complete in the shop. The Pre-Finish Due date is the date that pre-finished orders are scheduled to complete.

We do our best to produce your order by these dates but completion dates are not guaranteed and may vary due to unforeseen events or order volume. The scheduled due dates are the estimated dates the orders are to complete and not necessarily the dates they will ship out or arrive at your shop. Depending on how the doors are to be shipped please allow another 1-2 days for packaging and cure times for pre-finished doors. Be sure to allow enough time for delivery when scheduling time in your shop or installation.

We will accommodate rush orders when we can. Depending on the type of door requested or the workload in the shop at the time of the request, we may not be able to rush your order. We believe that all customers orders are equally important and therefore a rush order will not be taken if it will cause a delay of production for other existing orders. If we are able to accept a rush order there will be a 30% up charge for any order shipped in less time than our regular lead time. There will be a 50% up charge for rushes in 3 days or less. Lead times for complex styles (non-standard rails, multiple panels, radiuses, etc...) will not be confirmed until all details are supplied. Rush confirmation dates are manufacturing times only. You need to specify if you need expedited shipping as well.

Order Confirmations

In order to produce orders on schedule, most orders will go into production in less than 24 hours after confirmations are signed. Any changes made after that time will be subject to extra charges. If we are not able to rework the parts to accommodate changes you will be responsible for the cost of the original parts plus the price of the new changes.

Due to material, shipping and energy costs, list prices can change without notice. If you need a current list price sheet please contact your sales representative. Quotes are honored for 30 days. Georgia Hardwoods reserves the right to pass along surcharges from suppliers resulting from energy or fuel related increases.



Shipping

Shipping

Orders that meet the minimum amount are delivered at no charge on our trucks within our regular delivery area. Contact your sales representative for details. Orders outside of our delivery range are shipped LTL or UPS. There is a \$.15 per square foot handling/ packaging charge on all orders.

LTL orders shipped in the southeastern states that total \$2,000 or more are shipped without freight charges but with a \$35.00 packaging material/crate charge.

LTL orders less than \$2,000 are charged a percentage which includes the packaging material/crate charge. Shipping charges for orders totaling less than \$2,000 are calculated by the percentages below:

- 0-\$900 are charged 15% (\$135 or less)
- \$900-\$1,200 are charged 12% (\$108 \$144)
- \$1,200-\$2,000 are charged 10% (\$120-\$200)

If multiple orders are shipped together to the same location, the total of all the orders can be combined to reach the \$2,000 minimum for free shipping.

Individual quotes or orders that fall below the \$2,000 minimum will be confirmed with the shipping charges added on each order based on the above percentages with the understanding that at the time of shipment we will consolidate all orders that are ready to ship and if the total orders exceed the \$2,000 minimum, the shipping charges will be adjusted according to the rates listed above. Free freight only applies to door or drawer box orders not lumber or plywood.

Damage claims

- Be sure to inspect all packaging at the time of delivery. If there is no visible damage to the packaging note "Subject to inspection for internal damage" on the freight bill.
- If the packaging looks to be damaged even slightly, note it in detail on the freight bill. If the packaging looks to be compromised, it would be prudent, if at all possible, to open the crate and inspect the doors before the driver leaves. Note any visible damage on the freight bill.
- Notify Georgia Hardwoods immediately of any damage. Damaged products will be replaced as quickly as possible at no charge.
- Georgia Hardwoods will handle filing the damage claims. Please notify us as soon as possible. Claims must be filed with the carriers within 10 days. The carrier may require inspection of the damaged order. Please keep the doors in the original packaging until an onsite inspection is complete. The carrier may choose to pick-up the doors for inspection at their terminal or our facility.
- We do not guarantee the condition of any UPS shipments.

Juran CI	ustomer/Acct#:	DRAWER BOX	
Georgia	Job/PO:	QUOTE ONLY	
Hardwoods Inc	Phone:	Order:	
3061 Verona Ave • Buford, GA (770) 932-0640 • (800) 992-6426	Fax:	Date:	
FAX (678) 546-6105	Email:	Sales Rep:	
ALLOW 1-2 DAYS FOR DELIVERY \$	5300 MINIMUM FOR DELIVE		LUM UPS CPU LTL
Wood Species	Finishing	Glued Bo	
Natural Maple Select White Maple Cherry Mahogany Pine Other:	Clear Only Custom Match SN: Other:	Surcharg	Glue tom PanelScoops - Pg D4 SC-1 thru SC-6e may applySide Designs - Pg D5 SD-1 thru SD-3Ears - Pg D5
Wall Thickness Edge Profile	Bottom Thickness	Undermount Slide Notc	hing L-Lap Joint or D-Dovetail
1/2" Square 5/8" (Eased Standard) 3/4"	□ 1/4" □ 1/2" Bottom Mount: □ BB-025 □ BB-Bot □ BB-050 □ BB-Ins	2" (DN-200 Standar 4" (DN-400) 1-1/2" (DN-150) CENTER" (DI-** If insert is choosen we will calculate the box dimensions. Depth must
Qty Height (h) Width (w) Depth	(d) Scoop Side Des	gn Ears Inse	ert Notes
1 4-1/2 22 12	SC-1 SD-2	L DI-22	2-1/4"
1			
2 3			
4			
5			
6			
7 8			
9			
10			
11			
12			
13			
14			
16			
17			
18			

Faxed By:
Date/Time:
Initial if Correct:
Fax Back to: (678) 546-6105

CONFIRMATIONS NOT RETURNED WITHIN 24 HOURS WILL BE CONSIDERED CORRECT.