MDF/RTF Thermofoil Doors



- Made in USA
- Door Grade MDF
- Quick Lead Times
- Prefinishing Available
- 20 Standard Vinyl Colors
- CAD Files Available

Please call for more information or visit www.gahwd.com

Georgia Hardwoods Inc

3061 Verona Ave
Buford, Ga 30518

(800) 992-6426 ▪ (770) 932-0640

6/2/2014

MDF/RTF Door Designs

Wilmington



SRP
Class:110
Min Size: 9½x9½″



SDP
Class: 210
Min Size: 7x7″

Brunswick



FRP-L
Class: 120
Min Size: 9½x10½″



FRP-R
Class: 120
Min Size: 9½x10½″

Providence



ARP
Class: 120
Min Size: 9½x11″



2ARP
Class: 130
Min Size: 9½x13″

New Hampshire



RRP
Class: 120
Min Size: 9½x10½″



2RRP
Class: 130
Min Size: 13x13″

Hartford



CRP
Class: 120
Min Size: 9½x11″



2CRP
Class: 130
Min Size: 9½x13″

New Haven



RRP-L
Class: 120
Min Size: 9½x10½″



RRP-R
Class: 120
Min Size: 9½x10½″

Bedford



FRP
Class: 120
Min Size: 9½x11″



2FPR
Class: 130
Min Size: 9½x13″

Mount Vernon



RRP-TL
Class: 140
Min Size: 9½x10½″



RRP-TR
Class: 140
Min Size: 9½x10½″

Georgia Hardwoods Inc □ 800-992-6426 □ www.gahwd.com □ Fax: 678-546-6105

MDF Designs

Portsmouth



ARP-TL
Class: 130
Min Size: 9½x10½″



ARP-TR
Class: 130
Min Size: 9½x10½″

Burlington



ARP-L
Class: 120
Min Size: 9½x10½″



ARP-R
Class: 120
Min Size: 9½x10½″

Cumberland



DAP
Class: 120
Min Size: 9½x11″



2DAP
Class: 130
Min Size: 9½x13″

Brookhaven



RQRP-L
Class: 140
Min Size: 12x12″



RQRP-R
Class: 140
Min Size: 12x12″

Sunburst



SUN-S
Class: 140
Min Size: 16x20″



SUN-A
Class: 140
Min Size: 16x20″

GLASS LITE PANELS

Mullion Profiles

All mullions are standard 1" wide and match the inside rail profile.
The back of each door is machined out 1/2" larger to accept glass inserts.
G number below are the panel layout designs. When choosing a door you still need to pick a panel design to determine the rail profile.



G11
Min Size: 8x8"



G21
Min Size: 8x8"



G22
Min Size: 8x8"



G42
Min Size: 10x10"



G33
Min Size: 8x12"



G31
Min Size: 12x8"



G44
Min Size: 8x16"



G41
Min Size: 16x8"



G32T
Min Size: 10x10"



G32B
Min Size: 10x10"



G42B
Min Size: 12x10"



G42-P1
Min Size: 12x15"

Georgia Hardwoods Inc □ 800-992-6426 □ www.gahwd.com □ Fax: 678-546-6105

MDF/RTF

GLASS MULLION DOORS



G63
Min Size: 10x12″



G84
Min Size: 10x16″



G105
Min Size: 10x20″



G93
Min Size: 12x12″



G93B
Min Size: 12x12″



G93C
Min Size: 12x12″



G114
Min Size: 16x16″



G135
Min Size: 16x24″



G74L
Min Size: 12x16″



G74R
Min Size: 12x16″



DG13
Diagonal Grids are priced per opening just as glass lite doors. Specify if opening is centered or if mullion is centered. Minimum grid square is 2x2″



DG7

Ornate Grid



OG73
Min Size: 12x24″



OG42
Min Size: 12x16″



OG123
Min Size: 12x24″



OG72
Min Size: 12x16″

MDF Panel Profiles

Profiles shown with square outside edge OE16



DP21 *Not Recommended for Painting



DP24 *Not Recommended for Painting



DP41 *Not Recommended for Painting



DP41B *Not Recommended for Painting



RP21



RP22



RP23



RP24

Georgia Hardwoods Inc □ 800-992-6426 □ www.gahwd.com □ Fax: 678-546-6105

MDF Panel Profiles

Profiles shown with square outside edge OE16



RP25



RP26



RP27



RP30



RP42



RP45



RP46

MDF Edge Profiles

OE1

OE2

OE3

OE4

OE5

OE6

OE7



OE8



OE9

OE12

Georgia Hardwoods Inc □ 800-992-6426 □ www.gahwd.com □ Fax: 678-546-6105

MDF Edge Profiles

OE13

OE14

OE16

OE20



OE30

OE40

OE42

OE43

OE46

MDF Drawerfronts

Georgia Hardwoods offers 4 styles of drawerfronts. Slab and Panel Profile fronts are interchangeable with both Cope and Stick and Mitered style doors.

Slab Drawerfronts

Slab drawerfronts are the most cost effective solution. Available with the same matching edge profiles any MDF/RTF door.

Raised Panel Drawerfronts



MDF/RTF drawer fronts are priced the same as doors. Smaller fronts that have height constraints may require a narrow version of the rail to be used on the top and bottom to allow for a raised panel profile. Shown is a drawerfront with 2-3/8" side rails and 1-3/8" top and bottom rails. This front style is ordered and priced just like a standard door with a minimum of 1 sq. ft. Minimum panel reveal is dependant on profile choose. See panel profile page for minimum size requirements.

Georgia Hardwoods Inc □ 800-992-6426 □ www.gahwd.com □ Fax: 678-546-6105

OPTIONS

Hinge Boring $1.50 per Hole for Standard, $2.50 for Specified.

Door hinge boring is offered for concealed hinges. The cup is drilled 1/2" deep with a diameter of 35mm. We offer the drilling for screw on or knock in pattern for Hettich® or Blum® hinges. Refer to the chart to the right for dimensions.

**Not all edge profiles allow hinge boring. Please refer to the Outside Edge profile pages D9-10 for more information.*

The holes are bored 3" from the end of the door. Special 32mm on center alignment is available for an additional fee. Please specify locations and number of hinges in the notes field of the order form.





Hettich®



Blum®



Screw on

Standard Hinge Placement

Door Sizes	*# of Hinges*	*Location*
12" and Under	2 Hinges	2-1/4" from end
12-1/16" to 45"	2 Hinges	3" from end
45-1/16" to 65"	3 Hinges	3" from end 1 centered
65-1/16" to 96"	4 Hinges	3" from end spaced equally

Standard Cup Drilling Distance

All standard hinge boring is 4-1/2mm from the edge for Hettich pattern and 4-1/2mm or 2-1/2mm from the edge for Blum pattern. Custom distance is available for an additional fee. Please refer to your hinge specifications for the proper measurement. If using hinges supplied by Georgia Hardwoods , please specify on your order.



"C" = distance from edge of door to edge of cup hole

Boring Side

You must specify the side of the door to be bored. The correct side can be determined by looking at the face of the door. Note the side to bore on the order form.

T-Top
B-Bottom
L-Left
R-Right
N-None



Door is bored for "Left". Door opens to the left.

OPTIONS

$3.00 per finger pull

Finger Pulls

Standard finger pulls are available for raw MDF doors only. 5" long with a radius cut of 5/16" x 7/16" deep and is located in the center of the rail of the door or 1-1/2" from the corner. Finger pulls on slab drawerfronts are always in the center of the long side. Additional charge to have finger pulls on multiple sides.



Side rail finger pulls are also available for both raw and thermofoil wrapped doors. These pulls are a 3/8" x 6-3/8" long x 1/8" deep and are machined 3/32" from the back edge of the door. This will allow the door to have an edge profile with the finger pull. Pulls are machined in the middle of the rail, on center, on any side of the door. Additional charge for finger pulls on multiple sides.



Default finger pull placements are either on center of the frame rail or stile or 1-1/2" from the corner. To determine the proper location, specify the side using T(top), B (bottom), L(left) or R(right). Then specify the location of the pull. L(left), C(center) or R(right) for the top and bottom rail, T(top), C(center) or B(bottom) for the sides. The side is determined by looking at the face of the door. The drawing to the right is for a left side, bottom placement pull.



Placements

	Left	Center	Right
T (top)	TL	TC	TR
B (bottom)	BL	BC	BR
	Top	**Center**	**Bottom**
L (left)	LT	LC	LB
R (right)	RT	RC	RB

On Slab Drawer Fronts, the pull placement is always centered.

Full side finger pulls are available for doors for an additional charge. Each pull is machined 1-1/2" from the corners. This option is available for both pulls FP10 and FP20. Additional charge for finger pulls on multiple sides.



Notes:
Minimum length side, width or height for finger pulls is 8".
Additional charge for specified length or special placement finger pulls.

Georgia Hardwoods Inc □ 800-992-6426 □ www.gahwd.com □ Fax: 678-546-6105

MDF Valances

Valances:
Built with any OE outside edge.
Only available with any panel profile.
Priced as 2, 3 or 4 panel door plus design fee.
No maximum individual panel width requirement.

Optional keystone center rail can be machined at an angle to accommodate a solid wood keystone block.



VAL-M2P
$50.00 Design Fee
For widths between 24" to 68"





VAL-M3P
$50.00 Design Fee
For widths between 48" to 102"

Required Ordering Information:
A: Width
B: Height
C: Drop From Top to Arch
D: Bottom Width
E: Center Top Width
F: Center Bottom Width
See order page for more information



VAL-M4P
$50.00 Design Fee
For widths between 72" to 136"

Solid Slab Valances

Sold by the square foot. All drawn as 6"x 45" scale. $35.00 Design fee.

Min Size: 4x12"
SLAB 1/S Edged
*No design fee.

Min Size: 5x18"

VAL-ME1

Min Size: 5x18"

VAL-MA1

Min Size: 5x18"

VAL-MF1

Min Size: 4x24"

VAL-MS1

Min Size: 4x24"

VAL-MS2

Min Size: 5x18"

VAL-MF2

Min Size: 5x18"

VAL-MG1

Min Size: 5x28"

VAL-MC1

Min Size: 4x24"

VAL-MS3

OE8 not available for vinyl wrapping.

Vinyl Wrapped doors

Georgia Hardwoods has 22 standard colors and 4 glazes. Below are the colors and species used to match the color. These colors are only available on the specified species.

Solids

Almond
Antique White
Black
Cascade White
Designer White
Frosty White

Woodgrains

Brandy Fruitwood
Candlelight
Cherry Blossom
Cherry Pear
Expresso
Hard Rock Maple
Lin Mahogany
Mahogany Impression
Mocha
Pearl Cherry
Samoa Teak (Tuscan Teak)
Summer Flame

Vinyl Wrapped Moulding

Georgia Hardwoods can also vinyl wrap any of our moulding profiles in each color. Maximum length of 8'.

Georgia Hardwoods Inc □ 800-992-6426 □ www.gahwd.com □ Fax: 678-546-6105

Shipping

Shipping
Orders that meet the minimum amount are delivered at no charge on our trucks within our regular delivery area. Contact your sales representative for details. Orders outside of our delivery range are shipped LTL or UPS. There is a $.15 per square foot handling/ packaging charge on all orders.

LTL orders shipped in the southeastern states that total $2,000 or more are shipped without freight charges but with a $35.00 packaging material/crate charge.

LTL orders less than $2,000 are charged a percentage which includes the packaging material/crate charge. Shipping charges for orders totaling less than $2,000 are calculated by the percentages below:

- 0-$900 are charged 15% ($135 or less)
- $900-$1,200 are charged 12% ($108 - $144)
- $1,200-$2,000 are charged 10% ($120-$200)

If multiple orders are shipped together to the same location, the total of all the orders can be combined to reach the $2,000 minimum for free shipping.

Individual quotes or orders that fall below the $2,000 minimum will be confirmed with the shipping charges added on each order based on the above percentages with the understanding that at the time of shipment we will consolidate all orders that are ready to ship and if the total orders exceed the $2,000 minimum, the shipping charges will be adjusted according to the rates listed above. Free freight only applies to door or drawer box orders not lumber or plywood.

Damage claims

- Be sure to inspect all packaging at the time of delivery. If there is no visible damage to the packaging note "Subject to inspection for internal damage" on the freight bill.
- If the packaging looks to be damaged even slightly, note it in detail on the freight bill. If the packaging looks to be compromised, it would be prudent, if at all possible, to open the crate and inspect the doors before the driver leaves. Note any visible damage on the freight bill.
- Notify Georgia Hardwoods immediately of any damage. Damaged products will be replaced as quickly as possible at no charge.
- Georgia Hardwoods will handle filing the damage claims. Please notify us as soon as possible. Claims must be filed with the carriers within 10 days. The carrier may require inspection of the damaged order. Please keep the doors in the original packaging until an onsite inspection is complete. The carrier may choose to pick-up the doors for inspection at their terminal or our facility.
- We do not guarantee the condition of any UPS shipments.

MDF/RTF Warranty

GEORGIA HARDWOODS RTF INFORMATION & WARRANTY

Outside width and height dimension tolerance is +/- 1/16"
Doors over 22" wide or 48" high are not guaranteed

Georgia Hardwoods will warranty RTF doors that have been given reasonable treatment for 3 years from the date of purchase against delaminating and chipping. Our warranty covers only the replacement of defective products manufactured by Georgia Hardwoods. Georgia Hardwoods will not be liable for costs related to travel expenses, installation or labor to remove and install new products. This warranty does not apply to damages resulting from improper handling, alterations made to our doors, or inappropriate storage. Furthermore, this warranty does not cover any product used or installed in connection with our products. Our liability is limited to the net invoice price of defective doors only. No other warranties are implied or expressed.

REASONABLE TREATMENT REQUIREMENTS:
Doors are not to be stored in freshly plastered or damp work sites.

RTF doors should never be left on a construction site that is open to the elements.

RTF Doors are not to be subjected to excessive moisture or heat. High heat can cause RTF doors to delaminate. Take precautions to avoid exposure to high temperatures. Delaminating due to high heat is not warranted.

If needed, RTF doors are to be cleaned with warm soapy water and a soft cloth followed by a dry towel. Use of abrasive cleaners or solvents will void the warranty.

Doors must be inspected at the time of delivery. Any concerns or problems must be reported to Georgia Hardwoods immediately. Warranty claims must be inspected by a Georgia Hardwoods employee.

Replacement Policy
Contact your salesperson within one business week of receiving defective materials. Your representative will arrange to inspect the doors. We may request the defective products be returned for inspection. If so, please repackage the doors for shipment. We will have the materials returned to us at no charge to you. In order to minimize the inconvenience to you, Georgia Hardwoods will do our best to replace any defective products as soon as possible.

Email: doorshop@gahwd.com
Website: www.gahwd.com

MDF/RTF Warranty

Ordering
In order to reduce errors, we highly recommend that you fax or email your orders on one of our door order forms. Orders can be faxed 24 hours a day. Once your order has been received, we will fax you an acknowledgement of your order specifications, sizes, completion dates and pricing. You will need to read through the acknowledgment completely and notify your sales representative of any changes as soon as possible. If you agree with the acknowledgement and want us to put it into production, we ask that you initial the appropriate box and fax it back to confirm your approval. If we do not receive your confirmation within 24 hours of placing your order, we will assume you are in agreement and we will proceed with the order as we confirmed. If you do not receive a confirmation please contact your sales representative to affirm that we have your order or to have them re-fax a copy. Orders received after 2:00 pm (EST) will not be processed until the next business day. In order to keep our shipping dates as short as possible, all orders placed before 2:00 pm (EST) will be put into production the following morning. Any changes must be made within 24 hours from the time your order was confirmed. Georgia Hardwoods will gladly accept orders by telephone, however, this method is not recommended. Phone orders will be read back to you at the time of order. It is very important that you listen carefully during the read back as this is your confirmation. Georgia Hardwoods is not responsible for any discrepancies that are not addressed at that time.

THINGS TO REMEMBER WHEN WRITING UP YOUR ORDERS:
Please write your order on one of our order forms.

Please order using our style names & numbers. We will not accept orders placed using a competitor's style name or number. We will gladly assist you with our style numbers and send you a current catalogue.

Order in increments of 1/16".

We do not add to the door sizes ordered to account for overlay options. Customers must give the finished sizes required.

For new customers, a customer number will be assigned to you after we receive your basic information. It may take a few days to set up your customer number. A customer number is required to track your orders, look up previous orders and to apply payments. If time will allow, we prefer to have this number assigned before confirming the first order, otherwise, the first order can be written up under a house account but you will need to provide us with the sales order number for any future reference. All orders written up for customers without a customer number will require a 50% deposit. All first time orders will require a 50% deposit unless credit terms have already been approved. A customer number does not imply that credit terms have been approved. The account will be COD unless our credit department approves terms. Contact your salesperson for a credit application or for a COD set up form.

Contact information:
Georgia Hardwoods Inc.
3061 Verona Ave.
Buford, Ga. 30518
800-992-6426,
678-546-6105 fax
770-932-7643 door sales personal fax- recommended.
Email: doorshop@gahwd.com
Website: www.gahwd.com

Georgia Hardwoods Inc
3061 Verona Ave • Buford, GA
(770) 932-0640 • (800) 992-6426
FAX (678) 546-6105

Customer/Acct#:_____
Job/PO:_____
Phone:_____
Fax:_____
Email:_____

MDF DOOR

QUOTE ONLY ☐

Order: _____
Date: _____
Sales Rep: _____

ALLOW 1-2 DAYS FOR DELIVERY *$300 MINIMUM FOR DELIVERY* circle VAN LUM UPS CPU LTL

Vinyl Colors

_____ Acorn Linea
_____ Almond
_____ Antique White
_____ Black
_____ Brushed Alum
_____ Candlelight/Carmel
_____ Chocolate Apple
_____ Chocolate Pear
_____ Expresso/ Cordoba
_____ Frosty White
_____ Hard Rock Maple
_____ Mahogany Impression
_____ Mocha / Chocolate Cherry
_____ Terra Linea
_____ Wild Apple
Other _____

Paint Colors

_____ Ant White
_____ Shutter White
_____ Beige
_____ Black
_____ Bright White

Other/Custom Match SN#: _____

Hinge Boring: ☐Blum 4.5mm+Dowel ☐Blum 2.5mm+Dowel ☐Hettich+Dowel ☐35mm No Dowel

Finger Pulls: ☐FP-10 ☐ FP-20

MDF:
☐ Raw 2/Side ☐ Other_____
☐ White 1/Side
☐ Wood Grain 1/Side_____

Door Style: _____
Panel Profile: RP/DP-_____
Edge Profile: OE-_____

Drawerfronts
☐ Slab OE-_____
☐ Raised Panel: RP/DP-_____

	Qty	Width	Height	Notes		Qty	Width	Height	Notes		Qty	Width	Height	Notes
1					1					1				
2					2					2				
3					3					3				
4					4					4				
5					5					5				
6					6					6				
7					7					7				
8					8					8				
9					9					9				
10					10					10				
11					11					11				
12					12					12				
13					13					13				
14					14					14				
15					15					15				
16					16					16				
17					17					17				
18					18					18				
19					19					19				
20					20									
21					21									
22					22									
23					23									

Total Drawer Fronts _____

Faxed By: _____
Date/Time:_____
Initial if Correct: _____
Fax Back to: (678) 546-6105

CONFIRMATIONS NOT RETURNED WITHIN 24 HOURS WILL BE CONSIDERED CORRECT.

Total Doors _____

Total Doors _____

Georgia Hardwoods Inc

MDF Valance Order Form

Use this form to specify dimensions for both wood and mdf custom raised panel valances. Valances have a design fee plus the square foot charge for a standard door. Panels are evenly divided based on the style chosen. Only outside edge OE16 is available. Panel designs with applied moulding are limited to profiles that fit to curved parts. Valances not following the variations in this order form or on the techincal catalog are considered non-catalog and will be charged a design fee and/or a customization fee.

Valance leadtimes are the same as that of wood doors and mdf doors.

CUSTOMER (contact name, address and phone)	**DATE IN**
	DATE REQUESTED
NAME OF JOB / **PO #**	**APPROVAL**_____

MDF
☐ White Back ☐ Wood Grain Back
☐ Raw Back

Part of Larger Order
☐ Ship with Doors/Boxes

SHAPE

VAL-M2P	___ X $50.00*
VAL-M3P	___ X $50.00*
VAL-M4P	___ X $50.00*
SLAB	___ X $0.00
Custom	___ X $50.00*

*Design fee plus SqFt Charge

MDF PANEL PROFILE
RP/DP _____

OUTSIDE EDGE PROFILE
OE _____

Vinyl Colors

_____Brandy Fruitwood
_____Candlelight
_____Cherry Blossom
_____Cherry Pear
_____Expresso
_____Hard Rock Maple
_____ Lin Mahogany
_____ Mocha
_____ Pearl Cherry
_____ Samoa Teak (Tuscan Teak)
_____ Summer Flame

Paint Colors

_____ Ant White
_____ Shutter White
_____ Beige
_____ Black
_____ Bright White

Measurements

A (Width)	B (Height)	C (Drop)	D (Foot)	E (Key Top)	F (Key Bot)



VAL-M2P



VAL-M3P

Even Width	Spec Width Center Panel
☐	



VAL-M4P

Even Width	Spec Width Center Panels
☐	

Solid Slab Valances

A (Width)	B (Height)	OE (Edge)

SLAB 1/S Edged ☐ 

VAL-ME1 ☐

VAL-MA1 ☐

VAL-MF1 ☐ 

VAL-MS1 ☐

VAL-MS2 ☐

VAL-MF2 ☐

VAL-MG1 ☐

VAL-MC1 ☐

VAL-MS3 ☐

Copyright 2012 Georgia Hardwoods Inc. All rights reserved.
3061 Verona Ave Buford, GA 30518 • Phone: 770-932-0640 • 800-992-6426 • Fax: 678-546-6105 • Fax: 770-932-0651
Download at http://www.gahwd.com/docs